Index

Page numbers of clinic titles are given in **boldface** type.

ACCELERATED reaction to smallpox vaccination, 91
Acid, homovanillic. See *Homovanillic acid.*
Adrenal glands
  cortex, insufficiency, after surgery for pheochromocytoma, 16
  fetal
    corticosteroid content, 61
    histochemical studies, 63
    regulation, 64–7
    steroid biosynthesis in, 59–64
    studies in vitro, 61–3
Adrenalectomy for primary hyperaldosteronism, 51
Adrenocortical insufficiency after surgery for pheochromocytoma, 16
Adrenocorticosteroids for neural tumors with chronic diarrhea, 13
Age incidence of lymphocytic thyroiditis, 26
Aldosterone, 43
  escape in hyperaldosteronism, 50
  excretion, 44
  production, 44
  regulation, 44–7
  secretion, 44, 45, 46
    decreased
      diseases with, 54–6
        treatment, 56
    disorders of, 43–58
    increased, diseases with, 47–54
Aldosteronism, congenital, 48
Alkalosis, hypokalemic, and hypertension with hypoaldosteronism, 53
Allergic reactions to smallpox vaccination, 91–2
Anencephalic infant, steroids in, 65
Anomalous pulmonary venous drainage, total, 178–87
Antibiotics for neuroblastoma, 11
Antibodies
  autoantibodies, thyroid, detection of, 30
  response
    to immunization, factors influencing, 77–9
Antibodies (*Continued*)
  response to poliovirus, 94
  thyroid, in lymphocytic thyroiditis, 31
Antimetabolites for neuroblastoma, 11
Antitoxin, tetanus, 87, 88
Aorta, coarctation, 128–37
  cardiac catheterization, 134
  clinical picture, 130
  complications, 130
    of surgery, 136
  contraindications to operation, 136
  electrocardiogram, 131
  history, 130
  incidence, 128
  indications for operation, 136
  laboratory data, 131–4
  mortality, operative, 136
  optimum age for operation, 136
  pathology, 129
  physical findings, 130
  radiologic findings, 132
  spectrum, 128
  surgery, 136
Aortic stenosis, congenital, 118–27
  cardiac catheterization, 124
  clinical picture, 120
  complications, 120
    of surgery, 126
  contraindications to operation, 126
  electrocardiogram, 121
  history, 120
  incidence, 118
  indications for operation, 126
  laboratory data, 121–4
  mortality, operative, 126
  optimum age for operation, 126
  pathology, 119
  physical findings, 120
  radiologic findings, 122
  spectrum, 118
  surgery, 126
Atresia, tricuspid, 208–17
Atrial septal defect, 148–57
  cardiac catheterization, 154
  clinical picture, 150
  complications, 150

Atrial septal defect (*Continued*)
complications of surgery, 156
contraindications to operation, 156
electrocardiogram, 151
history, 150
incidence, 148
indications for surgery, 156
laboratory data, 151–4
mortality, operative, 156
optimum age for operation, 156
ostium primum, 168
pathology, 149
physical findings, 150
radiologic findings, 152
secundum type, 148–57
spectrum, 148
surgery, 156
Atrioventricular canal defects, 168–77
Autoantibodies, thyroid, detection of, 30
Autoimmunity, thyroid, in lymphocytic thyroiditis, 22–5

BARTTER'S syndrome, 53
BEI. See *Iodine, butanol-extractable.*
Biopsy findings in lymphocytic thyroiditis, 31, 32
Biosynthesis, steroid, in fetal adrenal, 59–64
Blood pressure. See also *Hypertension.*
in pheochromocytoma, 14
Blood vesels, great, transposition of, 198–207
cardiac catheterization, 204
clinical picture, 200
complications, 200
contraindications to operation, 206
electrocardiogram, 201
history, 200
incidence, 198
indications for operation, 206
laboratory data, 201–204
mortality, operative, 206
pathology, 199
physical findings, 200
radiologic findings, 202
spectrum, 198
surgery, 206

CANAL, atrioventricular, defects of, 168–77
Carcinoma of thyroid, 19
Cardiac. See *Heart.*
Catecholamines, 3–4
excretion
in neural tumors with chronic diarrhea, 13
Catecholamines (*Continued*)
excretion
in neuroblastoma, 8, 11
in pheochromocytoma, 15
metabolism in neuroblastoma, 9
Cells, reticulum, sarcoma, vs. neuroblastoma, 7
Chemotherapy
for ganglioneuroblastoma, 12
for neuroblastoma, 9, 10, 11
Clonal selection theory, 23
Coarctation of aorta, 128–37
Congenital aortic stenosis, 118–27
Congenital heart disease, operable, 105–219
Cord, umbilical. See *Umbilical cord.*
Corticosteroids
biosynthesis in fetal adrenal, 59–64
conversions in fetal adrenal, 61
fetal, role of, 67–8
for neural tumors with chronic diarrhea, 13
for neuroblastoma, 11
in anencephalic infant, 65
in fetal adrenals, 61
in umbilical cord plasma, measurement, 63–4
labeled, perfusion of fetus, 64
maternal, placental transport of, 68–9
Cortisol. See *Hydrocortisone.*
Cyclophosphamide for neuroblastoma, 11

DERMATITIS as contraindication to smallpox vaccination, 92
Desoxycorticosterone (DOC) for hypoaldosteronism, 56
Diabetes mellitus with thyroditis, 32
Diarrhea, chronic, neural tumors and, 13
Diphtheria immunization, 81, 84–6
Disease
Hashimoto's, 19, 20, 32
heart. See under *Heart.*
Quervain's, 20
with decreased aldosterone secretion, 54–6
with increased aldosterone secretion, 47–54
Disorders of aldosterone secretion, 43–58
DOC. See *Desoxycorticosterone.*
Dopamine, 3, 4
excretion
in neuroblastoma, 9
in pheochromocytoma, 15
Drainage, pulmonary venous, anomalous, total, 178–87
Ductus arteriosus, patent, 138–47
cardiac catheterization, 144

Ductus arteriosus, patent (*Continued*)
clinical picture, 140
complications, 140
of surgery, 146
contraindications to operation, 146
electrocardiogram, 141
history, 140
incidence, 138
indications for operation, 146
laboratory data, 141–4
mortality, operative, 146
optimum age for operation, 146
pathology, 139
physical findings, 140
radiologic findings, 142
spectrum, 138
surgery, 146

EARLY reactions to smallpox vaccination, 91–2
Eczema
as contraindication to smallpox vaccination, 92
vaccinatum, 93
Electrocardiogram
in aortic stenosis, 121
in atrial septal defect, 151
in coarctation of aorta, 131
in endocardial cushion defects, 171
in patent ductus arteriosus, 141
in pulmonic stenosis, 111
in tetralogy of Fallot, 191
in transposition of great vessels, 201
in transposition of pulmonary veins, 181
in tricuspid atresia, 211
in ventricular septal defect, 161
Encephalitis, postvaccinal, 93
Endocardial cushion defects, 168–77
cardiac catheterization, 174
clinical picture, 170
complications, 170
of surgery, 176
contraindications to operation, 176
electrocardiogram, 171
history, 170
incidence, 168
indications for operation, 176
laboratory data, 171–4
mortality, operative, 176
optimum age for operation, 176
pathology, 169
physical findings, 170
radiologic findings, 172
spectrum, 168
surgery, 176
Endocrine relations, fetal-placental, 67–9
Epinephrine, 3, 4
excretion in pheochromocytoma, 15
Estriol excretion as index of fetal viability, 68
Estrogens
estriol excretion as index of fetal viability, 68
production, fetal role in, 67
Euthyroid child, goiter in, 26
Ewing's tumor vs. neuroblastoma, 7

FALLOT, tetralogy of, 188–97
Fetal coarctation of aorta, 129, 131
Fetal-placental endocrine relations, 67–9
Fetal-placental-maternal interrelations involving steroid hormones, 59–73
Fetus. See also *Placenta; Umbilical cord;* etc.
adrenal glands. See *Adrenal glands, fetal.*
perfusion with labeled steroids, 64
steroids, role of, 67–8
viability, estriol excretion as index of, 68
Fluid therapy, parenteral, in chronic diarrhea with neural tumor, 13
Fluorohydrocortisone for hypoaldosteronism, 56

GAMMA globulin
for measles vaccination, 99
immune, for vaccinia, 92
tetanus, 88, 89
Ganglioneuroblastoma, 12
Ganglioneuroma, 12
Glands, adrenal. See *Adrenal glands.*
Globulin, gamma. See *Gamma globulin.*
Glucocorticoids, postoperative use in primary hyperaldosteronism, 51
Goiter. See also *Thyroid.*
in euthyroid child, 26
in lymphocytic thyroiditis, 26–7
Great vessels, transposition, 198–207

HASHIMOTO'S disease, 19, 20, 32
Heart
catheterization
in aortic stenosis, 124
in atrial septal defect, 154
in coarctation of aorta, 134
in endocardial cushion defects, 174
in patent ductus arteriosus, 144

Heart (*Continued*)
catheterization
in pulmonic stenosis, 114
in tetralogy of Fallot, 194
in transposition of great vessels, 204
in transposition of pulmonary veins, 184
in tricuspid atresia, 214
in ventricular septal defect, 164
disease, congenital
clinical classification, 218
operable, **105–219**
physiologic classification, 218
Herd immunity, 95
Heredity in lymphocytic thyroiditis, 33
Histochemical studies on fetal adrenal tissue, 63
History
in aortic stenosis, 120
in atrial septal defect, 150
in coarctation of aorta, 130
in endocardial cushion defects, 170
in patent ductus arteriosus, 140
in pulmonic stenosis, 110
in tetralogy of Fallot, 190
in transposition of great vessels, 200
in transposition of pulmonary veins, 180
in tricuspid atresia, 210
in ventricular septal defect, 160
Homovanillic acid, 4
excretion
in neuroblastoma, 9
in pheochromocytoma, 15
Hormones, steroid, fetal-placental-maternal interrelations involving, 59–73
HVA. See *Homovanillic acid.*
Hydrocortisone (cortisol), 44
biosynthesis, 61
for adrenocortical insufficiency after surgery for pheochromocytoma, 16
for hypoaldosteronism, 56
Hyperaldosteronism
classification, 47
juvenile, 48
primary, 47–51
diagnostic procedures, 50–51
treatment, 51
vs. secondary hyperaldosteronism, 52, 53
secondary, 51–3
vs. primary hyperaldosteronism, 50, 51
symptoms and signs, 49
Hyperplasia, thyroid, in lymphocytic thyroiditis, 21
Hypertension. See also *Blood pressure.*
and hypokalemic alkalosis with hypoaldosteronism, 53
Hypertension (*Continued*)
in pheochromocytoma, 14
Hypoaldosteronism, 54, 55
hypokalemic alkalosis and hypertension with, 53
treatment, 56
Hypokalemic alkalosis and hypertension with hypoaldosteronism, 53
Hypothyroidism, 25

IMMATURITY, immunologic, 78
Immunity. See also *Antibodies.*
autoimmunity, thyroid, in lymphocytic thyroiditis, 22–5
durable, due to poliovirus vaccine, 97
herd, 95
to poliomyelitis, rapidity after vaccination, 94–5
Immunization, 75–104
active, schedule for, 79–99
antibody response to, 77–9
current concepts, **75–104**
diphtheria, 81, 84–6
general considerations, 77–9
measles, 81, 98–9
passive, 77
pertussis, 81, 82–4
poliomyelitis, 81, 93–8, 99–102
smallpox, 81, 89–93
tetanus, 81, 86–9
Immunologic considerations, general, 77–9
Immunologic immaturity, 78
Immunologic tolerance, 22, 23
Impetigo as contraindication to smallpox vaccination, 92
Infant, anencephalic, steroids in, 65
Infantile coarctation of aorta, 129
Iodine. See also *Goiter; Thyroid.*
butanol-extractable, in lymphocytic thyroiditis, 28, 29
protein-bound, in lymphocytic thyroiditis, 28, 29
Isolated pulmonic stenosis, 108–17

KIDNEYS, tubular reabsorption of sodium, defect in, 45
Wilms's tumor, vs. neuroblastoma, 7

LABORATORY data
in aortic stenosis, 121–4
in atrial septal defect, 151–4
in coarctation of aorta, 131–4
in endocardial cushion defects, 171–4

Laboratory data (*Continued*)
in lymphocytic thyroiditis, 28–30
in patent ductus arteriosus, 141–4
in pulmonic stenosis, 111–14
in tetralogy of Fallot, 191–4
in transposition of great vessels, 201–204
in transposition of pulmonary veins, 181–4
in tricuspid atresia, 211–14
in ventricular septal defect, 161–4
Lymphocytic thyroiditis. See under *Thyroiditis.*

MALADIE de Roger, 160
Maternal-fetal-placental interrelations involving steroid hormones, **59–73**
Measles immunization, 81, 98–9
Metabolism, catecholamine, in neuroblastoma, 9
Metanephrine, 4
Methisazone for smallpox, 91
Mineralocorticoids, postoperative use in primary hyperaldosteronism, 51
Mortality, operative
in aortic stenosis, 126
in atrial septal defect, 156
in coarctation of aorta, 136
in endocardial cushion defects, 176
in patent ductus arteriosus, 146
in pulmonic stenosis, 116
in transposition of great vessels, 206
in transposition of pulmonary veins, 186
in tricuspid atresia, 216
in ventricular septal defect, 166

NEURAL tumors
chronic diarrhea and, 13
functioning, **3–18**
Neuroblastoma, 4–11
catecholamine metabolism, 9
characteristics, 4–6
diagnosis, 7–8
follow-up care, 11
prognosis, 11
signs and symptoms, 6–7
treatment, 9–11
Norepinephrine, 3, 4
excretion
in neuroblastoma, 9
in pheochromocytoma, 15
postoperative use for pheochromocytoma, 16
Normetanephrine, 4
excretion in neuroblastoma, 9

OPERABLE congenital heart disease, **105–219**
Ostium primum atrial septal defect, 168

PARENTERAL fluid therapy for chronic diarrhea with neural tumor, 13
Patent ductus arteriosus, 138–47
PBI. See *Iodine, protein-bound.*
Pertussis immunization, 81, 82–4
Phentolamine (Regitine), diagnostic use in pheochromocytoma, 15
Pheochromocytoma, 13–16
diagnosis, 14–15
localization, 15
signs and symptoms, 14
treatment, 16
Placenta, transport of maternal corticosteroids, 68–9
Placental-fetal endocrine relations, 67–9
Placental-maternal-fetal interrelations involving steroid hormones, **59–73**
Plasma, umbilical cord, steroids in, measurement, 63–4
Poliomyelitis
immunity, rapidity after vaccination, 94–5
immunization, 81, 93–8, 99–102
of unvaccinated, 95
Poliovirus vaccines, 93, 99–102
antibody response to, 94
dosage, 97–8
ease of administration, 95
effectiveness, 95
for prevention of epidemics, 96
immunity, durable, 97
resistance to reinfection, 95
risk, 100, 101
safety, 96
Postvaccinal encephalitis, 93
Potassium
depletion in hyperaldosteronism, 49, 50
preoperative use in primary hyperaldosteronism, 51
Prednisone for hypoaldosteronism, 56
Pregnenolone, biosynthesis, 61
Primary reaction to smallpox vaccination, 91
Progesterone, biosynthesis, 61
Pulmonary veins, transposition, complete, 178–87
cardiac catheterization, 184
clinical picture, 180
complications, 180
contraindication to operation, 186
electrocardiogram, 181
history, 180

Pulmonary veins, transposition, complete (*Continued*)
incidence, 178
indications for operation, 186
laboratory data, 181–4
mortality, operative, 186
optimum age for operation, 186
pathology, 179
physical findings, 180
radiologic findings, 182
spectrum, 178
surgery, 186
Pulmonic stenosis, isolated, 108–17
cardiac catheterization, 114
clinical picture, 110
complications, 110
of surgery, 116
contraindications to operation, 116
electrocardiogram, 111
history, 110
incidence, 108
indications for operation, 116
laboratory data, 111–14
mortality, operative, 116
optimum age for operation, 116
pathology, 109
physical findings, 110
radiologic findings, 112
spectrum, 108
surgery, 116

QUERVAIN'S disease, 20
Quervain's thyroiditis, 19

RADIATION THERAPY
for ganglioneuroblastoma, 12
for neuroblastoma, 9, 10
Radiotherapy. See *Radiation therapy.*
Radiologic. See *Roentgen.*
Reactions to smallpox vaccination, 91–2
Regitine. See *Phentolamine.*
Renal. See *Kidneys.*
Reticuloendotheliosis vs. neuroblastoma, 7
Reticulum cell sarcoma vs. neuroblastoma, 7
Riedel's struma, 20
Riedel's thyroiditis, 19
Roentgen examination
for neuroblastoma, 7
for pheochromocytoma, 15
in aortic stenosis, 122
in atrial septal defect, 152
in coarctation of aorta, 132
in endocardial cushion defects, 172
in patent ductus arteriosus, 142
Roentgen examination (*Continued*)
in pulmonic stenosis, 112
in tetralogy of Fallot, 192
in transposition of great vessels, 202
in transposition of pulmonary veins, 182
in tricuspid atresia, 212
in ventricular septal defect, 162

SABIN vaccine, 93
Salk vaccine, 93
Salt, dietary, for hypoaldosteronism, 56
Sarcoma, reticulum cell, vs. neuroblastoma, 7
Schick test for diphtheria, 86
Schmidt's syndrome, 32
Secundum type of atrial septal defect, 148–57
Septal defects. See *Atrial Septal defect; Ventricular septal defect.*
Sex incidence of lymphocytic thyroiditis, 26
Smallpox
immunization, 81, 89–93
vaccination
complications, 93
contraindications to, 92–3
interpretation of response, 91–2
Sodium, renal tubular reabsorption, defect in, 54
Stenosis
aortic, congenital, 118–27
pulmonic, isolated, 108–17
Steroid hormones, fetal-placental-maternal interrelations involving, 59–73
Steroids. See *Corticosteroids.*
Struma
lymphomatosa, 19, 20
Riedel's, 20
Subvalvular aortic stenosis, 119
Subvalvular pulmonic stenosis, 109
Supravalvular aortic stenosis, 119
Supravalvular pulmonic stenosis, 109
Surgery
for aortic stenosis, 126
for atrial septal defect, 156
for coarctation of aorta, 136
for endocardial cushion defects, 176
for ganglioneuroblastoma, 12
for ganglioneuroma, 12
for neuroblastoma, 9, 10
for patent ductus arteriosus, 146
for pheochromocytoma, 16
for primary hyperaldosteronism, 51
for pulmonic stenosis, 116
for tetralogy of Fallot, 196
for transposition of great vessels, 206

Surgery (*Continued*)
for transposition of pulmonary veins, 186
for tricuspid atresia, 216
for ventricular septal defect, 166
Syndrome
Bartter's, 53
Schmidt's, 32

TEST, Schick, for diphtheria, 86
Tetanus
antitoxin, 87, 88
gamma globulin, 88, 89
immunization, 81, 86–9
toxoid, 87, 88
Tetralogy of Fallot, 188–97
cardiac catheterization, 194
clinical picture, 190
complications, 190
electrocardiogram, 191
history, 190
incidence, 188
laboratory data, 191–4
pathology, 189
physical findings, 190
radiologic findings, 192
spectrum, 188
surgery, 196
Theory, clonal selection, 23
Therapy
fluid, parenteral, for chronic diarrhea with neural tumor, 13
radiation. See *Radiation therapy.*
Thymus in thyroid autoimmunity, 24
Thyroglobulin in thyroid autoimmunity, 22
Thyroid
antibodies in lymphocytic thyroiditis, 31
autoantibodies, detection, 30
autoimmunity in lymphocytic thyroiditis, 22–5
carcinoma, 19
for lymphocytic thyroiditis, 34–8
Hashimoto's disease, 19, 20, 32
hyperplasia in lymphocytic thyroiditis, 21
hypothyroidism, 25
Quervain's disease, 20
Thyroiditis, 19
diagnosis and management, 19–42
lymphocytic, 20–38
age and, 26
biopsy findings, 31, 32
diabetes mellitus with, 32
diagnosis, 30–32
Thyroiditis (*Continued*)
lymphocytic
goiter in, 26–7
heredity in, 33
incidence, 25–6
laboratory data, 28–30
pathology, 20, 21
sex and, 26
symptoms, 27–8
thyroid autoimmunity in, 22–5
treatment, 32–8
viruses as cause of, 33–4
management and diagnosis, 19–42
Thyroidosis, 19
Thyrotoxicosis, 19
Tolerance, immunologic, 22, 23
Toxoid, tetanus, 87, 88
Transposition
of great vessels, 198–207
of pulmonary veins, complete, 178–87
Triamterene for Bartter's syndrome, 53
Tricuspid atresia, 208–17
cardiac catheterization, 214
clinical picture, 210
complications, 210
contraindications to operation, 216
electrocardiogram, 211
history, 210
incidence, 208
indications for operation, 216
laboratory data, 211–14
mortality, operative, 216
pathology, 209
physical findings, 210
radiologic findings, 212
spectrum, 208
surgery, 216
Tubules, renal, reabsorption of sodium, defect in, 54
Tumors
Ewing's, vs. neuroblastoma, 7
neural. See *Neural tumors.*
Wilms's, vs. neuroblastoma, 7

UMBILICAL cord plasma, steroids in, measurement, 63–4

VACCINATION. See also *Immunity.*
sites for, 82
smallpox. See under *Smallpox*
Vaccines
combined, 80
measles, 99
poliovirus. See *Poliovirus vaccine.*
Vaccinia, 93
gamma globulin for, 92

Vaccinoid reaction to smallpox vaccination, 91
Valvular aortic stenosis, 119
Valvular pulmonic stenosis, 109
Veins, pulmonary, transposition of, complete, 178–87
Ventricular septal defect, 158–67
  cardiac catheterization, 164
  clinical picture, 160
  complications, 160
  of surgery, 166
  contraindications to operation, 166
  electrocardiogram, 161
  history, 160
  incidence, 158
  indications for operation, 166
  laboratory data, 161–4
  mortality, operative, 166
  optimum age for operation, 166
Ventricular septal defect (*Continued*)
  pathology, 159
  physical findings, 160
  radiologic findings, 162
  spectrum, 158
  surgery, 166
Vessels. See *Blood vesesls.*
Viruses, lymphocytic thyroiditis due to, 33–4
VMA, 4
  excretion in neuroblastoma, 9

WILMS's tumor vs. neuroblastoma, 7
Wounds, tetanus prophylaxis, 88

X-RAY. See *Roentgen.*